

# **RE-ROOF INSPECTION AND SELF-CERTIFICATION FORM**

### **ATTENTION HOME-OWNER:**

The Re-roof Inspection and Self-Certification Program was created to reduce reroof permit costs and to expedite the reroofing process. Only certified Roofing Contractors who are registered as City of Riverside Deputy Reroof Inspectors are authorized to self-inspect the reroof work performed under this permit. Please sign below with your approval and retain a copy of this document as evidence of inspection approval and contractor self-certification that the work performed met all applicable codes and regulations.

**Reroof Project Address** 

Owner Print Name

**Owner Signature** 

Permit #

### **DEPUTY REROOF INSPECTOR AND SELF-CERTIFICATION DECLARATION:**

- 1. The reroofed structure is a single-family dwelling or structure accessory to the dwelling.
- 2. The new roofing was asphalt shingle, hot mop, or roll roofing and was installed in full compliance with all manufacturers' installation instructions and all applicable code requirements.
- 3. The existing roofing material was asphalt shingle, hot mop, or roll roofing with a maximum of one existing layer of roofing for a combined total of two layers of roofing material (one existing and one new) or remove all original roofing materials down to the roof sheathing.
- 4. Any necessary replacement sheathing (due to deterioration of existing sheathing) was limited to a maximum of 10% of the total roof area.
- 5. No structural modifications of the roof framing or roof structure were involved.
- 7. Copies of this signed **Reroof Inspection and Self-Certification Form** will be given to the property owner and to the City of Riverside Building & Safety Division.

By my signature, I certify that I have personally observed and verified compliance with all 7 items noted above for this reroof project and that I have complied with all codes, ordinances, installation standards, and laws applicable thereto.



## SELF-CERTIFICATION & VERIFICATION FORM WATER EFFICIENT PLUMBING FIXTURE RETROFIT

\_\_\_\_\_, owner of the dwelling located at:\_\_\_\_\_

(Print Property Owner's Name)

Ι,

(Print Address)

For dwellings constructed prior to January 1, 1994, I (the property owner) verify that all plumbing fixtures within the dwelling unit are in compliance with the applicable retrofit provisions of California Civil Code Section 1101, which requires that the following fixtures do not exceed the flow rates stated:

- ★ Toilets not more than 1.6 gallon of water per flush
- ★ Urinals not more than 1 gallon of water per flush
- ★ Showerheads not more than 2.5 gallons of water per minute
- ★ Faucets not more than 2.2 gallons of water per minute

I have read and understand the above requirements and affirm by my signature, that all required plumbing fixtures mentioned above are in compliance with the applicable water conservation requirements of California Civil Code Section 1101.

Signature of Property Owner

Date

### **ATTENTION PROPERTY OWNER:**

This is a voluntary self-certification verification procedure. If you prefer a City Building Inspector to perform the verification, you must arrange to have an adult present at the time of inspection and provide access to locations of all plumbing fixtures.



#### SELF-CERTIFICATION OF INSTALLATION OF SMOKE/CARBON MONOXIDE ALARM(S)

The State of California requires smoke and carbon monoxide alarms to be installed in all residential occupancies, that contains a, fuel-burning appliance, fireplace, forced-air furnace or an opening that communicates to an attached garage.

Property Address	
Owner Name	Permit Number
Licensed Contractor:	License #:
Total Number of Alarms Installed in Dwelling Unit(	s): Smoke Carbon Monoxide

When the valuation of additions, alterations, or repairs to existing dwelling units exceeds \$1000 Sections R314 and R315 of the California Residential Code requires that Smoke Alarms and/or Carbon Monoxide Alarms be installed in the following locations:

Smoke alarms are installed and functioning:	Carbon monoxide alarms are installed and functioning:
1. In each sleeping room	<ol> <li>Outside of each separate dwelling unit sleeping area in the immediate vicinity of the bedroom/s</li> </ol>
<ol> <li>Outside each separate sleeping area in the immediate vicinity of the bedrooms.</li> </ol>	<ol> <li>On every level of a dwelling unit, including basements.</li> </ol>
3. On each additional story of the dwelling, including basements and habitable attics but not including crawl spaces and uninhabitable attics. In dwellings or dwelling units with split levels and without an intervening door between the adjacent levels, a smoke alarm installed on the upper level shall suffice for the adjacent lower level provided that the lower level is less than one full story below the upper level.	

**NOTE**: Physical interconnection of alarms shall not be required where listed wireless alarms are installed and all alarms sound upon activation of one alarm.

**Multi-purpose alarms:** Carbon monoxide alarms combined with smoke alarms shall comply with sections R314.5 and 315.4 and shall be approved by the office of The State Fire Marshal.

**Power Supply:** Alarm(s) may be solely battery operated in buildings that are not serve d from a commercial power source. In existing dwelling units, alarms are permitted to be solely battery operated where repairs or alterations do not result in the removal of wall and ceiling finishes, or there is no means of access by means of attic, basement, or crawl space. An electrical permit is required for alarms that must be connected to the building wiring.

As the owner of the above referenced Property, I hereby certify that the alarm(s) referenced above has/have been installed in accordance with the manufacturer's instructions and in compliance with The California Residential Code. The alarms have been tested and are operational.

Print Name\_\_\_\_\_ Date \_\_\_\_\_

Signature \_\_\_\_\_

<u>ATTENTION PROPERTY OWNER</u>: This is a voluntary self-certification verification procedure. If you prefer a City Building Inspector to perform the verification, you must arrange to have an adult present at the time of inspection and provide a ladder and access to locations of all alarms.