(1) "No Joint Pipe" const. shall conform to the specifications of the City's Jefferson Street Storm Drain Number 2 project.

(1) Const. Catch Basins as indicated
Riv. City Std. N° 400 with 4' opening
For other details see City plan Sheet 3
R-642 Catch basins No. 1, 2, & 3 to have channel in bottom per Std. Dwg. No. 425

NOTE:
Southern California Gas Company is to be called 48 hours (minimum) before excavation is begun for exact location and depth of pipes

At sewer and storm drain crossings, lower pipe is to have backfill mechanically tamped to a relative compaction of 95% or greater.

1

bility

REVISIONS		
MARK	DATE	DESCRIPTION
(1)	1-22-63	Revise Grade, Length of pipe and type of pipe. Approved [signature] Director of Public Works

DESIGNED BY
DRAWN BY
CHECKED BY [initials]
RECOMMENDED BY [signature] ASSISTANT CITY ENGINEER

J. F. DAVIDSON-CIVIL ENGINEER
R.E. NO. 862
RIVERSIDE, CALIFORNIA
APPROVED BY [signature] DATE 10-16-62

CITY OF RIVERSIDE, CALIFORNIA
DEPARTMENT OF PUBLIC WORKS

DRAINAGE PLAN & PROFILE
Los Arboles Place & Gay Way

TRACT 2479

HORIZ. SCALE 1" = 40' VERT. SCALE 1" = 4'

APPROVED BY [signature] Director of Public Works
DATE 11-5-62

NO. D-86

SHEET 1 OF 1

2199