NOTES

BASE BID	(1)	REMOVE EXISTING A.C. TILE CEILING, CLEAN, PATCH, REPAIR TO MATCH SURROUNDING SURFACES. INSTALL NEW ACOUSTICAL TILE & WOOD TRIM DROP CEILING.
BASE BID	(2)	REMOVE EXISTING LOCKERS, PATCH & REPAIR TO MATCH SURROUNDING SURFACE. INSTALL NEW BENCHES.
BASE BID	(3)	REMOVE EXISTING LOCKERS, PATCH & REPAIR TO MATCH SURROUNDING SURFACE. INSTALL NEW DISPLAY CASES.
ADD. 2	(4)	30" DIAMETER CERAMIC PLANTER, 5'-0" HIGH FICUS BENJAMINA, PLANTER MIX & 1/4" HARDWARE CLOTH INSERT IN TOP OF PLANTER.
ADD. 3	(5)	NEW CARPETED FLOOR, TERMINATE AT RADIUS OF COVED BASE.
ADD. 1	(6)	CLEAN, REMOVE ALL LOOSE GROUT, REGROUT FLOOR & WALL CERAMIC TILE. REPLACE ALL BROKEN, CRACKED OR CHIPPED CER. TILE.
ADD. 1	(7)	REPAINT WALLS & CEILING. PROVIDE A 12" WIDE, 3-COLOR STENCIL ARCHE TILE WAINSCOT. OWNER TO RETAIN STENCIL(S) FOR FUTURE USE.
OMIT	(8)	REFINISH FLOOR, SAND, FILL & REPAINT FLAT BLACK.
OMIT	(9)	NEW PROSCENIUM CURTAIN, FIREPROOF
OMIT	(10)	PAINT PROSCENIUM ARCH TO A CONSTRASTING COLOR
OMIT	(11)	FILL IN INTERIOR SIDE OF WINDOW WITH SOLID PANELS.
OMIT	(12)	NEW DRAPERIES OVER WINDOWS, FIREPROOF
ADD. 5	(13)	ASILE CARPETING W/ LIGHTING
ADD. 4	(14)	LOBBY LIGHTING FIXTURES (4)
OMIT	(15)	NEW MIRRORS, LIGHTING, SHOWER, PAINTING AND CLEAN-UP OF ALL SURFACES.
OMIT	(16)	NEW LIGHTING, AIR CONDITIONING, PAINTING & CLEAN-UP.
OMIT	(17)	PROVIDE NEW ROPES & MISC. HARDWARE TO RE-RIG EXISTING STAGE LIGHTING BARS, CURTAIN SUPPORTS AND SUPPORTS
OMIT	(18)	WING & BOARDER CURTIANS, BLACK MATERIAL, FIREPROOF.
OMIT	(19)	MOTORIZED PROJECTION SCREEN
OMIT	(20)	CLEAN, PATCH, REPAIR & REPAINT ALL CEILINGS, WALLS, DOORS, TRIM & CABINETS AS NECESSARY.



FLOOR PLANS

1/8" = 1'-0"

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011

"COPYRIGHT 1983" COLE & FRICK ARCHITECTS, INC. The use, or re-use of these Drawings or Specifications, which are protected by Copyright, is strictly prohibited unless authorized by the Architects, in writing.

REHABILITATION OF THE BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE, CALIFORNIA

COMMUNITY CENTER FLOOR PLAN

P-0234
83-08-17 A
SEPT. 1984

SHEET No. 1 OF



DETAIL of SOUND PANELS 3/4"



1 DETAIL CEILING PANEL 3" = 1'-0"



2 HEAD @ EXIST. WINDOWS 3" = 1'-0"



REFLECTED CEILING PLAN 1/8" = 1'-0"



SHOWER @ DRESS'G DRESS-BOY'S (GIRL'S SIM.)

INTERIOR ELEVATIONS 1/8" = 1'-0"



REAR ELEVATION 1/8" = 1'-0"

① REMOVE EXIST. BLINDS & INSTALL NEW DRAPERIES OF 18 OZ. PER SQ. YD. VELOUR, DRAPED 1½ AREA & FIRE PROOFED WITH RETURNS & COMPLETE WITH RODS & LINING.
② WINDOW FILLED/COVERED OVER WITH SOUND MATERIAL.
③ WOOD SOUND PANELS.
④ REPAINT ALL WALLS, REPAIR & PREPARE SURFACES TO RECEIVE PAINT AS REQUIRED.
⑤ REPAINT ALL WOOD TRIM, DOOR JAMBS/CASINGS, BASE, MOLDINGS ETC.
⑥ REFINISH STAGE FLOOR, SAND, FILL & PAINT FLAT BLACK.
⑦ NEW PROSCENIUM DRAPERIES TO MATCH WINDOW DRAPERIES. MUST BE FIREPROOF
⑧ EXIST. WOOD BEAMS, CLEANED & RESTORED
⑨ REPAINT ALL PLASTER EXPOSED TO VIEW. TYPICAL ALL SURFACES



SIDE ELEVATION TYPICAL FOR TWO 1/8" = 1'-0"

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011

"COPYRIGHT 1983"
COLE & FRICK ARCHITECTS, INC
The use, or re-use of these drawings or specifications, which are protected by copyright, is strictly prohibited unless authorized by the Architect, in writing.

REHABILITATION OF THE BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

COMMUNITY CENTER AUDITORIUM, PLANS & DETAILS

P. 0234
ISSUE-IT
MAR. 1984

SHEET No. 2 OF EIGHT



SECTION THRU CORRIDOR 1/2" = 1'-0"



ELEVATION PARTIAL - CORRIDOR 1/2" = 1'-0"





LOADING DOCK - ADDITIVE Nº G-I



3 1½"=1'-0"



4 DISPLAY CASE 1½"=1'-0"

REFLECTED CEILING PARTIAL 1/4" = 1'-0"



1 WOOD TRIM 1½"=1'-0"

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011

"COPYRIGHT 1983" COLE & FRICK ARCHITECTS, INC. The use, or re-use of these Drawings or Specifications, which are protected by Copyright, is strictly prohibited unless authorized by the Architect, in writing.

REHABILITATION OF THE BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

COMMUNITY CENTER DETAILS

P-0234-83-FOR-17
MAR. 1984
SHEET No. 3 OF EIGHT

SWIMMING POOL

PHASE I

PHASE I

LIMIT OF EXTERIOR REPAINTING

GAME 1

GAME 2

LOCKER 7

HALL 6

OFFICE 10

HALL 12

LOCKER 13

STOR. 6

STOR. 7

LOCKER 19

WEIGHT ROOM 23

ALT #6 MIRROR WALL & BALLET BAR

TOILET 11

SHOWER 18

HALL 22

POOL EQUIPMENT

WOMEN 3

MEN 4

JANITOR 5

TOILET 8

SHWR. 9

SHWR. 14

TOILET 17

SHOWER 20

LOCKER 21

HALL 26

OFFICE 24

STOR 25

LIMIT OF EXTERIOR REPAINTING

LIMIT OF EXTERIOR REPAINTING

EXTERIOR DOOR

COVERED WALK

OFF.

STOR.

PARKING LOT

GYMNASIUM

ADDITIVE NO. B-1
AIR CONDITIONING SYSTEM

CLASSROOM

PLAY FIELDS

FLOOR PLAN

1/8" = 1'-0"

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011

"COPYRIGHT 1985"
COLE & FRICK ARCHITECTS, INC.
The use, or re-use of these Drawings or Specifications, which are protected by Copyright, is strictly prohibited unless authorized by the Architect, in writing.

REHABILITATION OF THE
BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

BATH HOUSE
FLOOR PLAN
NEW (REMODELED)

P-1023.4
85-08-01
MAR. 1984

SHEET No. 4 OF EIGHT

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011

"COPYRIGHT 1983" COLE & FRICK ARCHITECTS, INC. The use, or re-use of these Drawings or Specifications, which are protected by the Copyright Laws, is prohibited unless authorized by the Architect, in writing.

REHABILITATION OF THE
BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

BATH HOUSE
FLOOR PLAN: 1/4"=1'-0"

P-0234
88-08-11
MAR. 1984

SHEET No.
5
OF EIGHT

CORRECTIONS
BUILDING DEPT.
5-22-84



EAST SOUTH

SHOWER 9 SHWR 14 SIM.



NORTH

OFFICE 10



EAST



SOUTH



SOUTH

TOILET 11



SOUTH

SHOWER 14



WEST

SHOWER 20



NORTH

OFFICE 24



EAST



NORTH

JANITOR 5



EAST



WEST

STOR 25



WEST

SHOWER 18 SHWR 20 SIM.

INTERIOR ELEVATIONS 1/4" = 1'-0"



WINDOW "WALL" 4

1 1/2" = 1'-0"



TOILET PAPER HOLDER 3

NO SCALE 1/TOILET COMPARTMENT



BLOCK WALL 2

3/4" = 1'-0"



LOCKER ROOM BENCH 1

1 1/2" = 1'-0"

INTERIOR FINISH SCHEDULE

No.	ROOM NAME	FLOOR	BASE	WALLS NORTH	WALLS EAST	WALLS SOUTH	WALLS WEST	CEILING	REMARKS
1	GAME	EXIST. 4 1	VINYL	EXIST'G.	EXIST'G.	EXIST'G	EXIST'G	EXIST'G 3	
2	GAME	4 1	↓	↓	↓	↓	GYP. BD.	3	
3	WOMEN	CONC 1	CER. TILE	↓	GYP. BD 2	GYP. BD. 2	EXIST.	3	
4	MEN	1	CER. TILE	GYP. BD 2	↓ 2	EXIST./GYP. BD.	EXIST.	3	
5	JANITOR	1	VINYL	EXIST./GYP BD	EXIST'G.	EXIST'G	EXIST'G.	3	
6	HALL	1	↓	GYP. BD.		GYP. BD.	GYP. BD.	3	
7	LOCKER	1	↓	EXIST'G.		↓	EXIST'G.	3	
8	TOILET	↓ 1	↓	↓	↓	EXIST./PLASTER	↓	3	
9	SHOWER	CONC/CER. T.	VINYL/CER.T.	EXIST./PLASTER		CER.T./GYP. BD.	↓	3	
10	OFFICE	4 1	VINYL	GYP. BD	↓	GYP BD	GYP BD.	3	
11	TOILET	CONC/CER. T.	VINYL/CER.T.	↓	GYP. BD	GYP. BD/CER. TILE	BRICK/CER.TILE	3	
12	HALL	CONC 1	VINYL	↓	EXIST'G.	GYP. BD	GYP. BD	3	
13	LOCKER	↓ 1	↓	↓	↓	↓	EXIST'G.	3	
14	SHOWER	CONC/CER.T.	VINYL/CER.T.	CER.T./GYP. BD.	CER. TILE	GYP. BD.	↓	3	
15	TOILET	CONC 1	VINYL	GYP. BD	EXIST'G. 6	EXIST'G.		3	
16	STORAGE	1	↓	↓	↓	↓	↓	3	
17	STORAGE	↓ 1	↓	EXIST'G.	↓	↓	↓	3	
18	SHOWER	CONC/CER.T.	VINYL/CER. T.	↓	↓	GYP BD/CER. T	CER.T./GYP BD.	3	
19	LOCKER	4 1	VINYL	↓	↓	EXIST'G	EXIST'G.	3	
20	SHOWER	CONC/CER.T.	VINYL/CER.T.	↓	CER. TILE	↓	↓ 6	3	
21	LOCKER	4 1	VINYL	GYP BD	GYP. BD.	GYP. BD.	GYP. BD.	3	
22	HALL	4 1	↓	↓	↓	↓	↓	3	
23	WEIGHT ROOM	5 1		EXIST'G.	EXIST'G.	EXIST'G.	EXIST/GYP BD.	3	
24	OFFICE	4 1		GYP BD.	EXIST./GYP. BD.	CONC. BLK/PLUS	EXIST'G.	3	
25	STORAGE	CONC. 1		CONC. BLK.	EXIST'G.	EXIST'G.	↓	3	
26	HALL	4 1	↓	PLASTER	PLASTER	PLASTER		↓ 3	

REMARKS

1. PATCH & REPAIR EXIST'G. FLOOR AS REQUIRED
2. W/ 48" HIGH CERAMIC TILE WAINSCOT
3. PATCH & REPAIR CEILING AS REQUIRED TO MATCH EXIST'G.
4. INDOOR/OUTDOOR CARPET
5. CARPET TILE/MAT
6. FURRING W/ GYP. BD. OVER











DOOR DETAILS 3" = 1'-0"

DOOR SCHEDULE

No.	WIDTH	HEIGHT	THK.	TYPE	MAT'L.	DETAILS HEAD	DETAILS JAMB	DETAILS SILL	REMARKS
1	3'-0"	7'-0" 1	1 3/8"	S.C.	METAL	1 & 5	1	2	1 VERIFY HEIGHT OF EXIST'G. WINDOW ABOVE THEN VERIFY EXACT DOOR HT. REQ'D.
2	3'-0"	7'-0" 1	1 3/4"			5	1	2	
3	3'-0"	7'-0"	1 3/4"			1	1	2	
4	5'-0"	7'-0" 1	1 3/4"	↓		5	1	2	
5	4'-0"	4'-0"		ROLL-UP					
6	3'-0"	7'-0" 1	1 3/4"	S.C.		5	4		
7	4'-0"	4'-0"		ROLL-UP					
8	3'-0"	7'-0"	1 3/4"	S.C.		1	1 & 3	2	
9									
10	3'-0"	7'-0"	1 3/4"	↓		4	4	2	
11	4'-0"	4'-0"		ROLL-UP					
12	3'-0"	7'-0"	1 3/4"	S.C.		4	4	2	
13	4'-0"	4'-0"		ROLL-UP					
14									
15	4'-0"	7'-0"	1 3/4"	S.C.		5	1	2	

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011

"COPYRIGHT 1983" COLE & FRICK ARCHITECTS, INC. The use, or re-use of these Drawings or Specifications, which are protected by Copyright laws, is restricted by the Architect, in writing.

REHABILITATION OF THE BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

BATH HOUSE
INTERIOR ELEVATIONS
SCHEDULES
DETAILS

P-0234
BB-CB-17
MAR. 1984
SHEET No. 6 OF EIGHT



PROJECT NO. 8308.12
MAR. 1984
SHEET No. 7 OF EIGHT

BATH HOUSE
FLOOR PLAN
(EXIST. BEFORE DEMO.)

REHABILATION OF THE
BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

"COPYRIGHT 1983"
COLE & FRICK ARCHITECTS, INC.
The use, or re-use of these Drawings or Specifications, which are protected by Copyright, is strictly prohibited unless authorized by the Architect, in writing.

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA
(714)-684-4011 92501



DEMOLITION FLOOR PLAN 1/4" = 1'-0"





SITE PLAN NO SCALE

WALL LEGEND

- BRICK
- BRICK & GLAZED BLOCK
- DOUBLE GLAZED BLOCK
- GLAZED BLOCK PARTITION
- STUD ON CONC. CURB
- STUD
- CERAMIC TILE ON BRICK
- CERAMIC TILE ON STUD
- TO REMAIN
- FUTURE

NOTES

1. REMOVE ALL EXISTING CONC. CURBS FOR LOCKERS & WALLS AS INDICATED.
2. TURN OVER ALL DOORS, FRAMES, PLUMBING FIXTURES, ELECTRICAL FIXTURES, LOCKERS WHICH ARE SALVAGABLE TO OWNER.
3. PROTECT ADJACENT FACILITIES DURING DEMOLITION & CLEAN-UP
4. LIMIT DEMOLITION TO THE INTERIOR AREA.
5. DO NOT RESTRICT OPERATIONS OF ADJACENT FACILITIES/AREAS WITH EQUIPMENT, DEBRIS OR DUST.
6. LEAVE USABLE BRICK STACKED ON JOB SITE AS DIRECTED BY ARCHITECT

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011

"COPYRIGHT 1983"
COLE & FRICK ARCHITECTS, INC.
The use, or re-use of these Drawings or Specifications, which are protected by Copyr. rights, is strictly prohibited unless authorized by the Architect, in writing.

REHABILITATION OF THE BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

SELECTIVE STRUCTURAL DEMOLITION

P-0234(A-1)
88-08-17
NOV 15 1988
SHEET No. 3
REFERENCE ONLY
OF EIGHT