


WATER HEATER PIPING DIAGRAM N.T.S.



UNIT GAS CONNECTION N.T.S.

SYMBOL	ABBREV.	DESCRIPTION
---		REPLACE WASTE LINE WITH NEW LINE
---	V.	NEW WASTE LINE
---	C.W.	VELT LINE
---	H.W.	COLD WATER LINE
---		HOT WATER LINE
---	G.	GAS LINE
---	H.B.	HOSE BIBB
---	W.C.O.	WALL CLEAN OUT
---	V.T.R.	VELT THRU ROOF
---		EXISTING GAS LINE

LEGEND

DIVISIONS 1, 4, 5, 6, AND 7 OF THE CALIFORNIA ENERGY STANDARDS HAVE BEEN REVIEWED AND THE DESIGN SUBMITTED CONFORMS SUBSTANTIALLY WITH THESE REGULATIONS.

Mark A. Gemeinhardt
MARK A. GEMEINHARDT M-21303


ENERGY COMPLIANCE NOTE

SYMB	FIXTURES	CONNECTIONS					REMARKS
		W	TRAP	VENT	C.W.	H.W.	
MV 1	MIXING VALVE	-	-	-	1 1/4"	1 1/4"	
SH 1	SHOWER	-	-	-	3/4"	3/4"	
SH 4	SHOWER	-	-	-	3/4"	3/4"	HANDHELD SHOWER HEAD
WH 2	WATER HEATER	-	-	-	1"	1"	
S 1	SINK	2"	2"	1 1/2"	1/2"	1/2"	MAKE-UP SINK
WC 2	WATER CLOSET	4"	4"	2"	1/2"	-	FLOOR MOUNTED TANK TYPE
WC 123	WATER CLOSET	4"	4"	2"	1"	-	WC-1: FLOOR MOUNT FLUSHMETER TYPE WC-2: PENAL FLOOR MOUNT FLUSHMETER
U 122	URINAL	2"	2"	2"	1"	-	U-1: WALL HUNG U-2: WALL HUNG PENAL
SS 1	SERVICE SINK	3"	3"	1 1/2"	1/2"	1/2"	WALL MOUNTED
L 1	LAVATORY	2"	2"	1 1/2"	1/2"	1/2"	COUNTER TOP SELF RIMMING TYPE
L 24	LAVATORY	2"	2"	1 1/2"	1/2"	1/2"	L-2: WALL MOUNTED L-4: WALL MOUNTED PENAL
L 3	LAVATORY	2"	2"	1 1/2"	1/2"	1/2"	COUNTER TOP SELF RIMMING TYPE
SH 3	SHOWER	-	-	-	3/4"	3/4"	WALL MOUNTED HEAD
FP 1	FLOOR DRAIN	2"	2"	1 1/2"	-	-	
DF 1	DRINKING FOUNTAIN	3"	3"	1 1/2"	1/2"	-	
WH 1	WATER HEATER	-	-	-	2"	2"	EXISTING TO BE RELOCATED
FS 1	FLOOR SINK	3"	3"	1 1/2"	-	-	
SH 2	SHOWER	-	-	-	3/4"	3/4"	HANDHELD SHOWER HEAD

FIXTURE SCHEDULE

- ALL APPLICATIONS WHERE GAS COCKS OR SHUTOFF VALVES ARE UNDER GROUND SHALL BE INSTALLED IN APPROVED YARD BOXES WITH CAST IRON COVERS INDICATING UTILITY.
- THE PLUMBING CONTRACTOR SHALL VERIFY LOCATION AND SIZE OF ALL EXISTING LINES, LATERALS AND WYES BEFORE STARTING AND SHALL NOTIFY THE ARCHITECT IF SAID CONNECTIONS ARE NOT IN THE LOCATION SHOWN OR ARE NOT OF SUFFICIENT SIZE OR DEPTH TO MAKE THIS CONNECTION IN COMPLIANCE WITH PLANS AND SPECIFICATION. PLUMBING CONTRACTOR SHALL INCLUDE INVESTIGATION AND EXCAVATION TO LOCATE EXISTING UNDERGROUND UTILITY LINES IN APPROXIMATELY 10' FEET EACH DIRECTION TO PIN-POINT LOCATIONS FOR DEMOLITION OR CONNECTION IN BID.
- ALL VENTS SHALL BE EXTENDED A MINIMUM OF 10' FROM FRESH AIR INTAKES.
- INSTALL ALL PLUMBING TO AVOID INTERFERENCE WITH MECHANICAL, ELECTRICAL AND OTHER EQUIPMENT, WHERE REQUIRED, OFFSET PIPING AND/OR VENTS THRU ROOF TO CLEAR BEAMS, ETC.
- FOR EXACT LOCATION OF FIXTURES, ROOF DRAINS, MECHANICAL, OWNER FURNISHED, AND ALL OTHER EQUIPMENT, SEE MECHANICAL AND ARCHITECTURAL DRAWINGS.
- ALL NOTES ON ANY P SHEET ARE APPLICABLE TO ALL P SHEETS WHERE THEY APPLY.
- THESE PLANS SHOW THE METHODS AND MAJOR COMPONENTS OF THE SYSTEM AS IT IS TO BE INSTALLED. THEY ARE HOWEVER INCOMPLETE IN THAT THEY DO NOT SHOW ALL OFF-SETS, BENDS, VALVES, MINOR COMPONENTS, ETC. THIS CONTRACT SHALL INCLUDE ALL SUCH ITEMS AND INSTALLATIONS AS NECESSARY TO PROVIDE AESTHETIC, COMPLETE AND OPERABLE SYSTEM.
- THIS SYSTEM SHALL BE INSTALLED IN ITS ENTIRETY IN ACCORDANCE WITH THE "UNIFORM PLUMBING CODE" 1982 EDITION.
- VALVES, UNIONS, ACCESS PANELS ETC., SHALL BE INSTALLED AT ALL LOCATIONS NECESSARY FOR EASY MAINTENANCE AND PARTIAL SHUT DOWN.
- COORDINATE ALL NECESSARY WALL FURRING, ETC. WITH GENERAL CONTRACTOR.
- CONTRACTOR IS RESPONSIBLE FOR PROPER REPAIR OF ANY DAMAGE CAUSED FROM HIM OR HIS WORK TO EXISTING BUILDING, PIPING, UTILITIES, ETC. NEW WORK AND CONNECTIONS SHALL NOT INTERFERE WITH THE PROPER FUNCTIONING OF ANY EXISTING FACILITY AND TO A MINIMUM OF INCONVENIENCE TO THE OWNER AND ARCHITECT. CONTRACTOR SHALL INCLUDE IN BID, MATERIALS AND LABOR TO REMOVE, REPLACE, RECONNECT, REINSTALL, ETC. OF EXISTING FACILITIES OF ANY MATTER.

GENERAL NOTES



SITE PLAN

"COPYRIGHT 1983" COLE & FRICK ARCHITECTS, INC. The use, or reuse of these drawings, specifications, or other project documents, without the written consent of the Architect, is strictly prohibited unless authorized by the Architect, in writing.


DESIGN ENGINEERING GROUP
Professional Engineers
1000 North Main Street
Riverside, CA 92501

REHABILITATION OF THE
BOBBY BONDS COMMUNITY PARK
RIVERSIDE COMMUNITY CENTER
CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

SCHEDULES, SITE PLAN,
NOTES, LEGEND, DETAILS
PARTIAL FLOOR PLAN,

P. 1
SHEET No. 1
OF 3

COLE & FRICK ARCHITECTS AIA
3616 MAIN STREET RIVERSIDE, CALIFORNIA 92501
(714)-684-4011



COLE & FRICK ARCHITECTS AIA
 3616 MAIN STREET
 RIVERSIDE, CALIFORNIA
 (714)-684-4011

"COPYRIGHT 1984"
 COLE & FRICK ARCHITECTS, INC.
 The use, or re-use of these
 Drawings or Specifications,
 which are protected by copyright
 laws, is authorized by the
 Architect, in writing.

REHABILITATION OF THE
 BOBBY BONDS COMMUNITY PARK
 RIVERSIDE COMMUNITY CENTER
 CITY OF RIVERSIDE RIVERSIDE, CALIFORNIA

BATH HOUSE
 PLUMBING FLOOR PLAN

P-0254
 03-08-17
 YEAR 1984
 SHEET No.
P-2
 OF 3

DESIGN ENGINEERING GROUP
 Mechanical Consulting Engineers
 5900 Magnolia Avenue
 Riverside, CA 92506

NOTES:
 ALL MULTI-FIXTURE PROPS INDICATE
 IN WALL HEADER SIZE.

RUD PLUMBING IN FURRED 2"x4"
 WALL ON FIXTURES IN SHOWER
 ROOM 20. MAKE PENETRATIONS
 THRU WALL TO ACCOMMODATE
 FIXTURES IN SHOWER ROOM 18

MATCH LINE WITH
 ABOVE LINE

MATCH WITH LINE BELOW