

NOTE: TREES 36" BOX  
 SIZE AND LARGER TO BE  
 GUYED EXCEPT WHERE  
 INSUFFICIENT SPACE  
 EXISTS AS DETERMINED  
 BY THE PARK PROJECTS  
 INSPECTOR

NOTES:  
 GUYs TO BE EVENLY SPACED  
 @ 120° AROUND TREE. GUY  
 ANGLE TO BE BETWEEN 30°  
 AND 45° FROM VERTICAL.

GUYs TO BE REMOVED AT THE END  
 OF THE MAINTENANCE PERIOD.

3" Ø X 24" LONG PERFORATED DRAIN PIPE SET  
 FLUSH TO FIN. GR. & FILLED  
 W/ PEA GRAVEL.

WIRE THRU GARDEN HOSE @ TREE

DOUBLED 10 GA. GALVANIZED WIRE  
 GUYs, EACH WITH AN ADJUSTABLE  
 TURN BUCKLE W/ #10 EYEBOLT SCREWS.

1/2" Ø X 3'-0" WHITE PVC TUBING

SEE STD. PLANTING DET. 1001 FOR  
 PLANTING INFORMATION.

TREE GUARD PER CITY STANDARDS

FINISH GRADE

18" MIN. DEPTH

2" X 4" X 24" REDWOOD  
 DEADMAN STAKES

NOT TO SCALE

Approved BJ	Date 04/10/86
Revised	Date

Park and Recreation Department CITY OF RIVERSIDE
<b>TREE GUYING DETAIL</b>

Detail No. <b>1003</b>
---------------------------